



## THI-PIR-11P

- 3.7mm Mega Pixel Pin-hole Lens
- True Day & Night (ICR)
- DC 12V

## **FEATURES**

- •1/2.8" Sensor
- · 2 Mega Pixels
- ·Video Output: HD 1080p@30fps/25fps
- 2D-NR/3D-NR/Smart NR/Sense-up/Digital Zoom Functions etc.
- •3.7mm Mega Pixel Pinhole Lens
- ·Support UTC Function to remote control OSD menu
- ·Dual Video-out (HD-TVI / Analog)
- •DC 12V

THI PIR-11P	
Solution	1/2.8" Mega Pixel Sensor
Signal System	PAL/NTSC
Sync. System	Internal Sync.
Effective Pixels	2.0 Mega Pixels
Sensing Area	5.42mm x 3.41mm
Horizontal Resolution	PAL: 1920 x 1080p 25F/S NTSC: 1920 x 1080p 30F/S
OSD Menu	Support (Sense-up/2D NR, 3D NR/Digital Zoom/etc. functions)
Video Output	TVI / CVBS: 1.0Vp-p (750hm)
S/N Ratio	More than 50dB (AGC OFF)
White Balance	Auto Tracking White Balance
Shutter Speed	1/25-1/50000
Built-in Lens	3.7mm 2 Mega Pixel Pin-hole Lens
Working Temperature	-10°C ~ 50°C
Storage Temperature	-20°C ~ 60°C
Power Requirement	DC 12V Max Power Consumption Less than 3W

**WARNING** In some states, recording video or audio is against the federal/state/local law. Please consult with attorney and become fully aware of the federal/state/local laws in this regard.